

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for manufacturing an organic electro-luminescent ~~display device~~, the method comprising the steps of:
 - providing a ~~light permeable~~ substrate;
 - arranging at least one ~~transparent~~ electrode on the ~~light permeable~~ substrate, the ~~transparent~~ electrode being made of a ~~light permeable~~ conductive film to form a subassembly;
 - forming at least one organic layer on the subassembly, the at least one organic layer being made of an organic electro-luminescent medium, so that the at least one organic layer covers the electrodes at least one electrode;
 - forming a conductive film ~~all over~~ the at least one organic layer; and
 - removing at least one portion of the conductive film using a radiation method ~~so as to~~ create electrodes that are electrically being electrical isolated from ~~to each other using a radiation method~~.
2. (Currently Amended) A method for manufacturing a ~~display device~~ according to claim 1, wherein the step of arranging at least ~~on transparent one~~ electrode comprises arranging a plurality of ~~transparent~~ electrodes in a stripe-like manner.
3. (Currently Amended) A method for manufacturing a ~~display device~~ according to claim 2, wherein the step of removing at least one portion of the conductive film comprises creating stripe-like electrodes extending in a direction perpendicular to the stripe-like ~~transparent~~ electrodes.

4. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 1, wherein the step of removing at least one portion of the conductive film using a radiation method comprises using a laser beam.

5. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 1, wherein the step of removing at least one portion of the conductive film using a radiation method comprises using an electron beam.

6. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 1, wherein the step of ~~at least removing~~ at least one portion of the conductive film comprises removing ~~of~~ at least a portion of the organic layer.

7. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 1, wherein the step of forming a conductive film is carried out by vacuum deposition.

8. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 1, wherein the method further comprises ~~the a~~ step of forming a plurality of insulating ribs on the ~~transparent electrodes~~ at least one electrode; wherein and
removing the at least one portion of the conductive film includes removing a portion of
the conductive film from over ~~on~~ the insulating ribs and includes using a radiation method.

9. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 2, wherein the method further comprises ~~the a~~ step of forming a plurality of insulating ribs in a stripe-like manner on the ~~transparent electrodes~~, the insulating ribs extending so as to extend
in a direction ~~perpendicular~~ perpendicular to the ~~transparent electrodes~~; and
wherein removing the at least one portion of the conductive film includes removing a
portion of the conductive film from over ~~on~~ the insulating ribs and includes using a radiation method.

10. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 8, wherein the step of forming the plurality of ribs on the ~~transparent electrodes~~ electrode comprises arranging the plurality of ribs in laterally spaced rows ~~so as to be~~ parallel to each other.

11. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 8, wherein the step of forming the plurality of ribs on the at least one electrode ~~transparent electrodes~~ comprises heating ~~providing heat to~~ the ribs to cross-link the material of the ribs.

12. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 11, wherein the plurality of ribs are made of a photoresist and are ~~will be~~ subjected to heat of approximately 220°C.

13. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 8, wherein the step of forming the plurality of ribs on the ~~transparent electrodes~~ electrode comprises chamfering the edges of the ribs opposite to the ~~transparent electrodes~~ electrode.

14. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 8, wherein the step of ~~at least removing~~ at least one portion of the conductive film comprises removing ~~of~~ at least a portion of an ~~the~~ insulating rib.

15. (Currently Amended) A method for manufacturing a ~~display~~ device according to claim 8, wherein removing ~~of~~ the at least one portion of the conductive film comprises removing parts of an ~~the~~ insulating ~~ribs~~ rib thereby shaping the insulating rib into ~~causing a~~ "U"-shape ~~of the insulating ribs~~.

16. (Currently Amended) An organic electro-luminescent ~~display~~ device comprising:
a ~~light permeable~~ substrate;

at least one ~~transparent~~ electrode arranged on the ~~light-permeable~~ substrate and formed of a ~~light-permeable~~ conductive film;

a plurality of insulating members comprising a valley and consisting at least partially of an insulating material and arranged on the ~~transparent-electrodes~~ electrode;

at least one organic layer ~~each~~ formed of an organic electro-luminescent medium and arranged at least between ~~each-adjacent~~ two adjacent of the insulating members; and

upper electrodes ~~each~~ made of a conductive film deposited ~~all~~ over the at least one organic layer.

17. (Currently Amended) A ~~display~~ device according to claim 16, having a plurality of strip-like ~~transparent~~ electrodes.

18. (Currently Amended) A ~~display~~ device according to claim 17, having a plurality of stripe-like isolating members extending in a direction perpendicular to the ~~transparent~~ electrodes.

19. (Currently Amended) A ~~display~~ device according to claim 16, wherein the insulating member comprises portions of the organic electroluminescent medium.

20. (Currently Amended) A ~~display~~ device according to claim 16, wherein the ~~insulating member comprises an~~ insulating material forms provided for creating insulating ribs on the ~~transparent~~ electrode.

21. (Currently Amended) A display device according to claim 16, wherein the ~~insulating member comprises an~~ insulating material forms provided to create insulating ribs on the ~~transparent~~ electrode and the organic electro-luminescent medium is over the insulating ribs on top of it.

22. (Currently Amended) A ~~display~~ device according to claim 16 ~~13~~, wherein the ~~insulating member comprises an~~ insulating material forms provided to create insulating ribs on the ~~transparent~~ electrode, the organic electro-luminescent medium is over the insulating rib on ~~top of it~~ and part of the conductive film is over the organic electro-luminescent medium.

23. (Currently Amended) A ~~display~~ device according to claim 16, wherein the insulating member is in the shape of a ~~an~~ "U".

24. (Currently Amended) A ~~display~~ device according to claim 23, wherein the ends of the legs of the "U" comprise the medium of the at least one organic layer.

25. (Currently Amended) A ~~display~~ device according to claim 23, wherein the ends of the legs of the "U" comprise material of the conductive film.